

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|---------------------|
| L1 | 0 | "20020126997".pn. and (apparatus with (unit or module or logic or software)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/23 08:09 |
| L2 | 1 | "20020126997".pn. and (apparatus same (unit or module or logic or software)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/23 08:09 |
| L3 | 1 | "20020126997".pn. and ((computer near2 readable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/23 08:10 |
| L4 | 0 | "20020126997".pn. and ((computer near2 program) same (wave or signal or email or mail)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/23 08:11 |
| L5 | 1 | "20020126997".pn. and ((computer near2 program) same (medium)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/23 08:11 |
| S1 | 119 | (pda same (program\$4 adj guide)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 10:57 |
| S2 | 62 | (pda same (program\$4 adj guide) same (television or tv)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 09:55 |
| S3 | 0 | (pda same (program\$4 adj guide) same (television or tv) same (start adj time)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 09:54 |

| | | | | | | |
|-----|----|---|--|----|----|---------------------|
| S4 | 14 | (pda same (program\$4 adj guide) same (television or tv)) and @ad< "20010228" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 10:00 |
| S5 | 3 | (extract\$3 with ((start\$3 or broadcast) adj time)) same pda | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 10:14 |
| S6 | 83 | (extract\$3 with (time)) same pda | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 10:11 |
| S7 | 0 | ((extract\$3 with (time)) same (epg or (program\$4 adj guide))) same pda | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 10:12 |
| S8 | 26 | ((extract\$3 with (time)) same pda) and @ad< "20010228" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 10:13 |
| S9 | 0 | ((extract\$3 with (time)) same pda) and @ad< "20010228" and (epg or (program\$4 adj guide)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 10:13 |
| S10 | 1 | ((extract\$3 same (time)) same pda) and @ad< "20010228" and (epg or (program\$4 adj guide)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 10:14 |
| S11 | 20 | (extract\$3 with ((start\$3 or broadcast) adj time)) and (pda) and (epg or (program\$4 adj guide)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 10:16 |
| S12 | 62 | (extract\$3 with ((start\$3 or broadcast) adj time)) same (epg or (program\$4 adj guide)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 10:16 |
| S13 | 19 | ((extract\$3 with ((start\$3 or broadcast) adj time)) same (epg or (program\$4 adj guide))) and @ad< "20010228" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 10:24 |

| | | | | | | |
|-----|-----|---|--|----|-----|---------------------|
| S14 | 0 | ((extract\$3 with ((start\$3 or broadcast) adj time)) same alternative same (epg or (program\$4 adj guide))) and @ad<"20010228" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 10:24 |
| S15 | 14 | (((((start\$3 or broadcast) adj time)) same alternative same (epg or (program\$4 adj guide))) and @ad<"20010228" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 10:32 |
| S16 | 53 | ((time same (alternative near3 (program or show or episode)) same (epg or (program\$4 adj guide))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 10:34 |
| S17 | 23 | ((time same (alternative near3 (program or show or episode)) same (epg or (program\$4 adj guide))) and @ad<"20010228" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 10:38 |
| S18 | 25 | ((epg or (program\$4 adj guide)) with unavailable | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 11:29 |
| S19 | 2 | ((epg or (program\$4 adj guide)) with warning with download\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 11:29 |
| S20 | 1 | ((epg or (program\$4 adj guide)) with error with download\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 11:33 |
| S21 | 4 | ((epg or (program\$4 adj guide)) with error with display | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 11:34 |
| S22 | 11 | ((epg or (program\$4 adj guide)) with warning with display | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/03 11:34 |
| S23 | 704 | (725/39).CCL.S. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/11 11:47 |

| | | | | | | |
|-----|------|--|--|----|----|---------------------|
| S24 | 1 | (epg or ipg or (program\$4 adj guide)) with request\$3 with (unique near3 (id or identification)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 12:28 |
| S25 | 56 | (epg or ipg or (program\$4 adj guide)) with request\$3 with ((id or identification)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 12:28 |
| S26 | 10 | ((epg or ipg or (program\$4 adj guide)) with request\$3 with ((id or identification))) and @ad<"20010228" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/11/13 12:29 |
| S27 | 6877 | @ad<"20010228" and "725"/\$.cls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 10:58 |
| S28 | 32 | @ad<"20010228" and "725"/\$.cls. and ((id or identification or identifier or identifying) with (epg or ipg or (program\$4 adj guide)) with (tranmist\$4 or send\$3 or broadcast \$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 11:00 |
| S29 | 1 | @ad<"20010228" and "725"/\$.cls. and (((user or subscriber) near2 (id or identification or identifier or identifying)) with (epg or ipg or (program\$4 adj guide)) with (tranmist\$4 or send\$3 or broadcast \$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 11:01 |
| S30 | 1 | @ad<"20010228" and "725"/\$.cls. and (((user or subscriber) near2 (id or identification or identifier or identifying)) with (epg or ipg or (program\$4 adj guide)) with request\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 11:02 |
| S31 | 20 | @ad<"20010228" and "725"/37-61.cls. and (((user or subscriber) near2 (id or identification or identifier or identifying)) with request\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 11:56 |

| | | | | | | |
|-----|-----|---|--|----|-----|---------------------|
| S32 | 7 | @ad< "20010228" and "725"/\$.ccls. and (((unique) near2 (id or identification or identifier or identifying)) with request\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 11:07 |
| S33 | 134 | @ad< "20010228" and "725"/\$.ccls. and (((unique or user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identify)) same (epg or ipg or (program\$4 adj guide))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 11:11 |
| S34 | 77 | @ad< "20010228" and "725"/\$.ccls. and (((unique or user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identify)) with (epg or ipg or (program\$4 adj guide))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 11:11 |
| S35 | 3 | @ad< "20010228" and "725"/\$.ccls. and (((unique or user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identify)) with (request\$3) with (epg or ipg or (program\$4 adj guide))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 11:26 |
| S36 | 2 | ("6326982").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/02 11:19 |
| S37 | 22 | @ad< "20010228" and "725"/\$.ccls. and (((unique or user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identify)) with (transmit\$4 or send\$3) with (epg or ipg or (program\$4 adj guide))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 11:29 |

| | | | | | | |
|-----|----|--|--|----|-----|---------------------|
| S38 | 42 | @ad< "20010228" and "725"/\$.ccls. and (((user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identify)) with (epg or ipg or (program\$4 adj guide))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 11:33 |
| S39 | 3 | @ad< "20010228" and "725"/\$.ccls. and (((user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identify)) with (server or headend or (head adj end)) with (epg or ipg or (program\$4 adj guide))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 12:00 |
| S40 | 2 | ("5880768").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/02 11:56 |
| S41 | 73 | @ad< "20010228" and "725"/46,47.ccls. and (((user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identify)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 12:01 |
| S42 | 8 | @ad< "20010228" and "725"/46,47.ccls. and (((user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identify)) with (request \$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 12:12 |
| S43 | 7 | @ad< "20010228" and "725"/46,47.ccls. and (((user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identify)) with (server or database or db or (data adj base) or headend or (head adj end))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/02 12:14 |

| | | | | | | |
|-----|----|---|--|----|----|---------------------|
| S44 | 57 | @ad< "20010228" and 725/37-61.ccls. and (((user or viewer or subscriber) near2 (id or number or identifier or identity)) with request\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/07 12:41 |
| S45 | 24 | @ad< "20010228" and 725/37-61.ccls. and (((user or viewer or subscriber) near2 (id or identifier or identity)) with request\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/07 12:55 |
| S46 | 1 | @ad< "20010228" and "725"/\$.ccls. and (((user or viewer or subscriber) near2 (id or identifier or identity)) with request\$3 with (guide or ipg or epg)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/07 12:56 |
| S47 | 15 | @ad< "20010228" and "725"/\$.ccls. and (((user or viewer or subscriber) near2 (id or identifier or identity)) with (guide or ipg or epg)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/07 13:05 |
| S48 | 37 | @ad< "20010228" and "725"/46-47.ccls. and (((user or viewer or subscriber) near2 (id or identifier or identity))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/07 13:05 |
| S49 | 3 | @ad< "20010228" and "725"/46-47.ccls. and (((user or viewer or subscriber) near2 (id or identifier or identity)) with request\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/07 13:32 |
| S50 | 34 | S48 not S49 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/07 13:06 |
| S51 | 1 | @ad< "20010228" and "725"/46-47.ccls. and ((login or (log\$4 adj in)) with request\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/07 13:35 |
| S52 | 3 | @ad< "20010228" and "725"/46-47.ccls. and ((login or (log\$4 adj in))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/07 13:33 |

| | | | | | | |
|-----|----|---|--|----|-----|---------------------|
| S53 | 2 | @ad<"20010228" and "725"/37-61.ccls. and ((login or (log\$4 adj in)) with request\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/07 13:36 |
| S54 | 28 | @ad<"20010228" and "725"/37-61.ccls. and ((login or (log\$4 adj in))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/07 14:02 |
| S55 | 2 | ("6425129").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 14:02 |
| S56 | 1 | S55 and select\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/07 14:16 |
| S57 | 2 | ("5781872").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 14:19 |
| S58 | 2 | ("6698021").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 14:29 |
| S59 | 2 | ("5633657").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 14:38 |
| S60 | 3 | ("6756997").PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/05/07 14:38 |
| S61 | 2 | "20020126997".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/04 14:25 |
| S62 | 0 | @ad<"20010228" and "725"/\$.ccls. and ((pda or palm) with (address or url) with (ad or avail or advertisement) with (epg or ipg or (program\$4 adj guide))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/04 14:30 |

| | | | | | | |
|-----|----|---|--|----|----|---------------------|
| S63 | 0 | @ad<"20010228" and ("725"/\$.ccls. or "348"/\$.ccls.) and ((pda or palm) with (address or url) with (ad or avail or advertisement) with (epg or ipg or (program\$4 adj guide))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/04 14:30 |
| S64 | 0 | @ad<"20010228" and ("725"/\$.ccls. or "348"/\$.ccls.) and ((pda or palm) with (address or url) with (ad or avail or advertisement)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/04 14:30 |
| S65 | 0 | @ad<"20010228" and ("725"/\$.ccls. or "348"/\$.ccls.) and ((pda or palm) same ((address or url) with (ad or avail or advertisement))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/04 14:31 |
| S66 | 17 | @ad<"20010228" and ("725"/\$.ccls. or "348"/\$.ccls.) and (pda or palm) and ((address or url) with (ad or avail or advertisement)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/04 14:31 |
| S67 | 4 | @ad<"20010228" and 725/37-61.ccls. and (pda or palm) and ((address or url) with (ad or avail or advertisement)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/04 14:32 |
| S68 | 3 | @ad<"20010228" and 725/37-61.ccls. and (pda or palm) and ((url) with (ad or avail or advertisement)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/04 14:32 |
| S69 | 0 | @ad<"20010228" and 725/37-61.ccls. and (determin\$3 with device with (kind or type)) and ((url) with (ad or avail or advertisement) with (program\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/04 14:33 |
| S70 | 0 | @ad<"20010228" and 725/37-61.ccls. and (determin\$3 with device with (kind or type)) and ((url) with (ad or avail or advertisement)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/04 14:34 |

| | | | | | | |
|-----|----|---|--|----|----|---------------------|
| S71 | 0 | @ad<"20010228" and 725/37-61.ccls. and (determin\$3 with (device or client) with (kind or type)) and ((url) with (ad or avail or advertisement)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/04 14:35 |
| S72 | 0 | @ad<"20010228" and "725"/\$.ccls. and (determin\$3 with (device or client) with (kind or type)) and ((url) with (ad or avail or advertisement)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/04 14:35 |
| S73 | 0 | @ad<"20010228" and ("725"/\$.ccls. or "348"/\$.ccls.) and (determin\$3 with (device or client) with (kind or type)) and ((url) with (ad or avail or advertisement)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/04 14:37 |
| S74 | 0 | @ad<"20010228" and 725/37-61.ccls. and (url with (type or os or (operating adj system)) with (pda or palm)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:36 |
| S75 | 0 | @ad<"20010228" and "725"/\$.ccls. and (url with (type or os or (operating adj system)) with (pda or palm)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:36 |
| S76 | 0 | @ad<"20010228" and "725"/\$.ccls. and (url with (type or os or (operating adj system)) with (pda or palm or phone or cell or cellphone or cellular)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:36 |
| S77 | 10 | @ad<"20010228" and "725"/\$.ccls. and (url with (pda or palm or phone or cell or cellphone or cellular)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:36 |
| S78 | 5 | @ad<"20010228" and "725"/37-61.ccls. and (url with (pda or palm or phone or cell or cellphone or cellular)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:37 |
| S79 | 5 | S77 not S78 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:38 |

| | | | | | | |
|-----|----|---|--|----|----|---------------------|
| S80 | 76 | @ad<"20010228" and "725"/37-61.ccls. and ((url or link or address) with (pda or palm or phone or cell or cellphone or cellular)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:39 |
| S81 | 5 | @ad<"20010228" and "725"/37-61.ccls. and ((url or link or address) with (pda or palm or phone or cell or cellphone or cellular) with (type or kind or os or (operating adj system))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:40 |
| S82 | 4 | @ad<"20010228" and "725"/32-36.ccls. and ((url or link or address) with (pda or palm or phone or cell or cellphone or cellular) with (type or kind or os or (operating adj system))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:42 |
| S83 | 25 | @ad<"20010228" and "725"/32-36.ccls. and ((url or link or address) with (pda or palm or phone or cell or cellphone or cellular)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:43 |
| S84 | 23 | @ad<"20010228" and "725"/32-36.ccls. and ((url or link or address) with (pda or palm or phone or (cell near2 phone) or cellphone or cellular)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:43 |
| S85 | 57 | @ad<"20010228" and "725"/\$.ccls. and ((url or link or address) with (pda or palm or phone or (cell near2 phone) or cellphone or cellular) with information) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:46 |
| S86 | 3 | @ad<"20010228" and "725"/\$.ccls. and ((url or link or address) with (pda or palm or phone or (cell near2 phone) or cellphone or cellular) with information with (episode or program\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:48 |

| | | | | | | |
|-----|------|--|--|----|----|---------------------|
| S87 | 1459 | @ad<"20010228" and "725"/37-61.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:50 |
| S88 | 0 | @ad<"20010228" and "725"/37-61.ccls. and (determin\$3 with pda with computer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:51 |
| S89 | 0 | @ad<"20010228" and "725"/37-61.ccls. and (determin\$3 with pda with ((cell or cellular) near3 (phone or telephone))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:52 |
| S90 | 0 | @ad<"20010228" and "725"/37-61.ccls. and (determin\$3 with (pda or ((cell or cellular) near3 (phone or telephone)))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:52 |
| S91 | 0 | @ad<"20010228" and "725"/37-61.ccls. and ((determin\$3 or check\$3) with (pda or ((cell or cellular) near3 (phone or telephone)))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:52 |
| S92 | 0 | @ad<"20010228" and "725"/37-61.ccls. and (((determin\$3 or check\$3) with (pda or cellphone or ((cell or cellular) near3 (phone or telephone)))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:53 |
| S93 | 8 | @ad<"20010228" and "725"/\$.ccls. and (((determin\$3 or check\$3) with (pda or cellphone or ((cell or cellular) near3 (phone or telephone)))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:53 |
| S94 | 0 | @ad<"20010228" and "725"/\$.ccls. and (((determin\$3 or check\$3) with (url or link or website or address) with (pda or cellphone or ((cell or cellular) near3 (phone or telephone)))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:53 |
| S95 | 0 | @ad<"20010228" and "725"/37-61.ccls. and (inbed\$4 with (link or url or address) with (guide or epq or ipg)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:56 |

| | | | | | | |
|------|-----|--|--|----|----|---------------------|
| S96 | 0 | @ad<"20010228" and "725"/37-61.ccls. and (inbed\$4 with (link or url or address)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:56 |
| S97 | 202 | @ad<"20010228" and "725"/37-61.ccls. and ((link or url or address) with (guide or epq or ipg)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:57 |
| S98 | 18 | @ad<"20010228" and "725"/37-61.ccls. and ((link or url or address) with (guide or epq or ipg) with (ad or advail or avail or commercial or advertisement)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/09/06 15:57 |
| S99 | 1 | "20020126997".pn. and target\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/03 11:18 |
| S100 | 2 | "20020126997".pn. and specific\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/03 11:18 |
| S101 | 1 | "20020126997".pn. and (computer with medium) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/02/03 11:23 |
| S102 | 20 | @ad<"20010228" and "725"/47.ccls. and ((start \$3 adj time) with (end\$3 adj time)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 19:44 |
| S103 | 0 | @ad<"20010228" and "725"/47.ccls. and ((start \$3 adj time) with (chang \$3 or modify\$3) with (end \$3 adj time)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 19:47 |
| S104 | 0 | @ad<"20010228" and "725"/47.ccls. and ((start \$3 adj time) with (chang \$3 or modif\$6) with (end \$3 adj time)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 19:47 |
| S105 | 5 | @ad<"20010228" and "725"/47.ccls. and ((start \$3 adj time) with (chang \$3 or modif\$6 or set\$4) with (end\$3 adj time)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 19:47 |

| | | | | | | |
|------|----|--|--|----|----|---------------------|
| S106 | 9 | @ad<"20010228" and "725"/47.ccls. and ((start \$3 adj time) with (window or guide or ipg or epq) with (end\$3 adj time)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 19:49 |
| S107 | 9 | S102 not (S105 or S106) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/07/15 19:53 |
| S108 | 0 | @ad<"20010228" and "725"/\$.ccls. and (extract \$3 with (tim\$3 near2 (period or start or end)) with other with (program or episode or show)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 12:25 |
| S109 | 0 | @ad<"20010228" and "725"/\$.ccls. and (extract \$3 with (time or timing) with other with (program or episode or show)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 12:26 |
| S110 | 21 | @ad<"20010228" and "725"/\$.ccls. and (extract \$3 with (time or timing) with "same" with (program or episode or show)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 12:26 |
| S111 | 0 | @ad<"20010228" and "725"/\$.ccls. and (search \$3 with other with (program or show or episode or content) with ((time or timing) near2 (period or slot))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 12:30 |
| S112 | 38 | @ad<"20010228" and "725"/\$.ccls. and (search \$3 with (program or show or episode or content) with ((time or timing) near2 (period or slot))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 12:31 |
| S113 | 5 | @ad<"20010228" and "725"/\$.ccls. and (search \$3 with (program or show or episode or content) with "same" with ((time or timing) near2 (period or slot))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 12:31 |

| | | | | | | |
|------|----|--|--|----|----|---------------------|
| S114 | 69 | @ad<"20010228" and "725"/37-61.ccls. and ((program or show or episode or content) with "same" with ((time or timing) near2 (period or slot))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 12:37 |
| S115 | 6 | @ad<"20010228" and "725"/37-61.ccls. and (search\$3 with "same" with (time or timing) with (period or slot)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 12:49 |
| S116 | 6 | @ad<"20010228" and "725"/37-61.ccls. and (search\$3 with (current\$3 near2 (program or show or episode or movie)) with (time or timing) with (period or slot)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 12:51 |
| S117 | 8 | @ad<"20010228" and "725"/37-61.ccls. and (search\$3 with (select\$3 near2 (program or show or episode or movie)) with (time or timing) with (period or slot)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 12:54 |
| S118 | 2 | @ad<"20010228" and "725"/37-61.ccls. and (search\$3 with (select\$3 near2 (program or show or episode or movie)) with (time or timing) with "same" with (period or slot or window)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 13:05 |
| S119 | 2 | @ad<"20010228" and "725"/37-61.ccls. and (search\$3 with ((select\$3 or choos\$3 or chos\$3 or opt\$3) near2 (program or show or episode or movie)) with (time or timing) with "same" with (period or slot or window)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 13:06 |
| S120 | 8 | @ad<"20010228" and "725"/37-61.ccls. and (search\$3 with ((select\$3 or choos\$3 or chos\$3 or opt\$3) near2 (program or show or episode or movie)) with (time or timing) with (period or slot or window)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 13:06 |

| | | | | | | |
|------|-----|--|--|----|----|---------------------|
| S121 | 9 | @ad<"20010228" and "725"/\$.ccls. and ((search \$3 or quer\$4) with ((select \$3 or choos\$3 or chos\$3 or opt\$3) near2 (program or show or episode or movie)) with (time or timing) with (period or slot or window)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 13:08 |
| S122 | 24 | @ad<"20010228" and "725"/\$.ccls. and (search \$3 or quer\$4) with ((select \$3 or choos\$3 or chos\$3 or opt\$3) with (time or timing) with (period or slot or window)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 13:11 |
| S123 | 21 | @ad<"20010228" and "725"/37-61.ccls. and (search\$3 or quer\$4) with ((select\$3 or choos\$3 or chos\$3 or opt\$3) with (time or timing) with (period or slot or window)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 13:11 |
| S124 | 8 | @ad<"20010228" and "725"/37-61.ccls. and ((search\$3 or quer\$4) with (time or timing) with ("same" or similar) with (period or slot or window)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 13:15 |
| S125 | 13 | @ad<"20010228" and "725"/\$.ccls. and ((search \$3 or quer\$4) with (time or timing) with ("same" or similar) with (period or slot or window)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 13:20 |
| S126 | 5 | S125 not S124 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 13:20 |
| S127 | 190 | @ad<"20010228" and "725"/37-61.ccls. and ((time or timing) with ("same" or similar) with (period or slot or window or interval)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 13:22 |

| | | | | | | |
|------|-----|--|--|----|----|---------------------|
| S128 | 111 | @ad<"20010228" and "725"/37-61.ccls. and ((time or timing) with ("same" or similar) with (period or slot or window or interval) with (program \$4 or show or episode or movie)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 13:23 |
| S129 | 50 | @ad<"20010228" and "725"/37-61.ccls. and ((time or timing) with (("same" or similar) near3 (period or slot or window or interval)) with (program \$4 or show or episode or movie)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 13:23 |
| S130 | 1 | "20020126997".pn. and ((method or (computer near2 medium) or apparatus) with (logic or unit or module or software or wave or signal)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 15:37 |
| S131 | 2 | "20020126997".pn. and ((method or (computer near2 medium) or apparatus) with (logic or unit or module or software or wave or signal or program)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/21 15:37 |
| S132 | 2 | "20020126997".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:37 |
| S133 | 0 | "20020126997".pn. and (start with time with end with independent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:46 |
| S134 | 0 | "20020126997".pn. and (start\$3 with time with end \$3 with independent\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:46 |
| S135 | 0 | "20020126997".pn. and (start\$3 with end\$3 with independent\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:46 |

| | | | | | | |
|------|---|--|--|----|----|---------------------|
| S136 | 1 | "20020126997".pn. and (independent\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:46 |
| S137 | 1 | "20020126997".pn. and (start\$3 with end\$3 with time) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:47 |
| S138 | 5 | @ad<"20010228" and "725"/\$.ccls. and (start\$3 with end\$3 with (time or period or range) with current\$3 with (program) with day) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:51 |
| S139 | 0 | @ad<"20010228" and "725"/\$.ccls. and (start\$3 with (time or period or range) with current\$3 with (program) with day with other) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:53 |
| S140 | 0 | @ad<"20010228" and (start\$3 with (time or period or range) with current\$3 with (program) with day with other) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:53 |
| S141 | 0 | @ad<"20010228" and "725"/\$.ccls. and (start\$3 with (time or period or range) with current\$3 with (program) with day with alternat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:54 |
| S142 | 0 | @ad<"20010228" and "725"/\$.ccls. and (start\$3 with (time or period or range) with (program) with day with alternat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:54 |
| S143 | 0 | @ad<"20010228" and "725"/\$.ccls. and (start\$3 with (time or period or range) with (program\$4) with day with alternat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:54 |
| S144 | 2 | @ad<"20010228" and "725"/\$.ccls. and (start\$3 with (time or period or range) with (program\$4) with (day or date) with alternat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:54 |

| | | | | | | |
|------|----|---|--|----|----|---------------------|
| S145 | 1 | @ad< "20010228" and "725"/\$.ccls. and ((time or period or range) with (program\$4) with current \$3 with (day or date) with alternat\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:56 |
| S146 | 1 | @ad< "20010228" and "725"/\$.ccls. and ((time or period or range) with (program\$4) with current \$3 with (day or date) with (alternat\$4 or other)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:56 |
| S147 | 12 | @ad< "20010228" and "725"/37-61.ccls. and ((tim \$3 or period or range) with (program\$4) with (day or date) with (alternat \$4 or other)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 14:58 |
| S148 | 5 | @ad< "20010228" and "725"/37-61.ccls. and ((program\$4) with (cho\$5 or select\$3) with (day or date) with (alternat\$4 or other)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 15:03 |
| S149 | 17 | @ad< "20010228" and "725"/37-61.ccls. and (((chos\$3 or choos\$3 or chang\$3 or select\$3) with (day or date) with "same" with (range or time or timing or period or window)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 17:04 |
| S150 | 0 | @ad< "20010228" and "725"/37-61.ccls. and (((chos\$3 or choos\$3 or chang\$3 or select\$3) with ((day or date) near2 (multiple or plurality)) with "same" with (range or time or timing or period or window)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 17:08 |
| S151 | 0 | @ad< "20010228" and "725"/\$.ccls. and ((chos\$3 or choos\$3 or chang\$3 or select\$3) with ((day or date) near2 (multiple or plurality)) with "same" with (range or time or timing or period or window)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 17:08 |

| | | | | | | |
|------|---|--|--|----|----|---------------------|
| S152 | 6 | @ad<"20010228" and ((chos\$3 or choos\$3 or chang\$3 or select\$3) with ((day or date) near2 (multiple or plurality)) with "same" with (range or time or timing or period or window)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/03/22 17:09 |
|------|---|--|--|----|----|---------------------|

3/ 23/ 2010 8:50:21 AM

C:\Documents and Settings\jshepard\My Documents\EAST\Workspaces\pda_10085538.wsp